

**Material Safety Data Sheet**

according to ANSI Z400.1-2004

**SEBASTIAN LAMINATES GEL**

Print date : 6/21/2007

Product code : 74016940200F

Page 1 of 4

**1. Product and Company Identification****Commercial product name**

SEBASTIAN LAMINATES GEL

**Chemical characterization** ( preparation )**Information manufacturer / supplier**

Company name : SEBASTIAN PROFESSIONAL  
Street : 6109 De Soto Avenue  
Place : USA- Woodland Hills , CA 91367  
Contact person : USA: telephone: (818)999-5112  
e-mail : Schoder.W@pg.com  
Internet : www.wella.com  
Inquiry office : PSCE-Herr Schoder ; telephone:0049-6151-342157 ; telefax:0049-6196-8921371 (Germany)

Emergency telephone : CHEMTREC 1-800-424-9300

**2. Hazards Identification****Route(s) of Entry**

Inhalation Yes  
Ingestion: Yes  
Skin: Yes

**Signs and Symptoms of Exposure**

Harmful by inhalation.  
Can have an irritating effect on the eyes.

Carcinogenicity (NTP) : No  
Carcinogenicity (IARC) : No  
Carcinogenicity (OSHA) : No

**3. Composition/Information on Ingredients****Hazardous components**

CAS No.	Components	Quantity
541-02-6	DECAMETHYLCYCLOPENTASILOXANE (CYCLOMETHICONE)	50% - 70%
68083-14-7	METHYLPHENYL POLYSILOXANE (PHENYL TRIMETHICONE)	1% - 3%
64-17-5	ETHANOL	0.1% - <1%

**4. First Aid Measures****After contact with eyes**

Flush eye(s) immediately with plenty of water.  
If eye irritation persists, consult a specialist.

**After ingestion**

Clean mouth with water and drink afterwards plenty of water.  
If symptoms persist, call a physician.

**5. Fire Fighting Measures**

**Material Safety Data Sheet**

according to ANSI Z400.1-2004

**SEBASTIAN LAMINATES GEL**

Print date : 6/21/2007

Product code : 74016940200F

Page 2 of 4

**Suitable extinguishing media**

sprayed water stream  
/ foam / chemical fire extinguisher  
/ carbon dioxide (CO<sub>2</sub>)

**Special exposure hazards arising from the chemical**

The release of the following substances is possible in a fire:  
carbon oxides ;  
formaldehyde

**Special protective equipment for firefighters**

Wear self-contained breathing apparatus and protective suit.

**Additional information**

Contaminated extinguishing water and soil must be disposed of in accordance with official regulations.

**6. Accidental Release Measures****Personal precautions**

Ensure adequate ventilation.  
Do not breathe vapours or spray mist.  
Avoid contact with eyes.

**Environmental precautions**

Do not flush into surface water or sanitary sewer system.

**Methods for cleaning up/taking up**

Wipe up with absorbent material (e.g. cloth, fleece).  
After cleaning, flush away traces with water.

**7. Handling and Storage****Handling****Advice on safe handling**

Avoid contact with eyes.  
Do not breathe vapours or spray mist.  
Provide sufficient air exchange and/or exhaust in work rooms.

**Advice on protection against fire and explosion**

non-combustible

**Storage****Requirements for storage rooms and vessels**

Keep in a dry, cool place.  
Keep at temperatures above -5 °C.  
Keep at temperature not exceeding 40 °C.

**8. Exposure Controls/Personal Protection****Exposure limit values****Exposure limits**

CAS No.	Components	ml/m <sup>3</sup>	mg/m <sup>3</sup>	fib/cc	Category	Origin
64-17-5	Ethyl alcohol (Ethanol)	1000	1900		TWA (8 h)	PEL

**Exposure controls****Protective and hygiene measures**

When using, do not eat, drink or smoke.  
Wash hands before breaks and at the end of workday.

**Material Safety Data Sheet**

according to ANSI Z400.1-2004

**SEBASTIAN LAMINATES GEL**

Print date : 6/21/2007

Product code : 74016940200F

Page 3 of 4

**9. Physical and Chemical Properties****Appearance**

Form : mass ; viscous  
Color : slight violet  
Odor : perfumed

**Important health, safety and environmental information**

Test method

**Changes in the physical state**

Flash point : not applicable non-combustible

**Oxidizing properties**

Not applicable

Density : 0.97 - 0.99 g/cm<sup>3</sup>

Water solubility : to a small extent soluble

Viscosity / dynamic : 15000 - 25000 mPa·s

**10. Stability and Reactivity****Stability**

Stable

**Hazardous decomposition products**

formaldehyde

**Possibility of Hazardous Reactions**

Will not occur

**11. Toxicological Information****Acute toxicity**

Harmful by inhalation. (calculated )

METHYLPHENYL POLYSILOXANE (PHENYL TRIMETHICONE) :  
LC50(inhal.) (rat ) = 0.47 mg/l (as aerosol )

**Corrosive and irritant effects**

Eye irritation:  
Can have an irritating effect on the eyes.

Skin irritation:  
Patch test on human volunteers did not demonstrate irritating properties.

**Sensitising effects**

No known sensitizing effect.

**12. Ecological Information****Further information**

Ecological injuries are not known or expected under normal use.

**13. Disposal Considerations****Advice on disposal**

In accordance with local and national regulations.

**14. Transport Information**

**Material Safety Data Sheet**

according to ANSI Z400.1-2004

**SEBASTIAN LAMINATES GEL**

Print date : 6/21/2007

Product code : 74016940200F

Page 4 of 4

**US DOT 49 CFR 172.101****Proper shipping name**

DOT Class: not regulated

**Land transport (ADR/RID)****Remarks**

Not classified as dangerous in the meaning of transport regulations.

**Marine transport****Remarks**

Not classified as dangerous in the meaning of transport regulations.

**Air transport****Remarks**

Not classified as dangerous in the meaning of transport regulations.

**15. Regulatory Information****U.S. Regulations****National Inventory TSCA**

Cosmetic products are not regulated under TSCA.

**16. Other Information****Other data**

Canada:WHMIS classification: D2B

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*